



## Approval of the Trademark Trevira CS®

Artimo Textiles b.v.  
De Meeten 53  
4706 NK Roosendaal  
Netherlands

<b>Application No.:</b>	181708.1
<b>Date of issue:</b>	21.01.2021
<b>Valid until:</b>	08.02.2024
<b>Article name:</b>	ARA
<b>End use:</b>	Drapes Curtains
<b>Square weight (g/m<sup>2</sup>):</b>	90
<i>According to customer specification</i>	
<b>Composition of the raw materials:</b>	Polyester 100%
<b>Composition of the fabric:</b>	Trevira CS 100%

The article ARA has been tested under the Trevira trademark application no. 181708 and is granted approval for the trademark Trevira CS® for interior use.  
The article was tested according to DIN 4102 part 1, 6.2 and thus also meets the requirements for fire class DIN 4102-B1.

The article was tested according to the French Standard NF P 92-504 (Propagation de flamme) and thus also meets the requirements for class M1 according to NF P 92-503, 92-505 and 92-507.

Thus meets also the requirements for class 1 according to the Italian Standards UNI VF 8456 and UNI VF 8457.

The article was tested according to EN 1101 and thus also meets the requirements for class 1 according to EN 13773.

This article qualifies for class B-s1, d0 according to the European Standard EN 13501-1. Trevira CS has been approved by the DIBt with the General Building Inspectorate Approval, Approval No. Z-56.25-3573 dd. 24 April 2018.

Trevira GmbH  
(This document is valid without signature.)